

Goodyear R14T



LSW[®]
Low Sidewall Technology™



IMPROVED TRACTION
with stability that provides
more power to the ground



FIELD TECH SUPPORT
from nationwide Field Techs



REDUCED SOIL COMPACTION
up to 40% lower inflation pressures



REDUCED POWER HOP AND ROAD LOPE



STUBBLE-RESISTANT
compounding backed by warranty



**AMERICAN-OWNED, ENGINEERED,
MANUFACTURED**



Goodyear R14T

The innovative R14T tread design is a new hybrid of ag, turf and industrial tread designs, ready for any application.




Goodyear R14T

Tread Footprint and Traction Comparisons



Inflation Pressure: 14 psi
Tested Load: 723lbs
Contact Area: 10.53 in²
Footprint Area: 38.59 in²
Ave Contact Pressure: 67.53 PSI
Contact to Void Ratio: 27%



Inflation Pressure: 10 psi
Tested Load: 723lbs
Contact Area: 22.67 in²
Footprint Area: 46.92 in²
Ave Contact Pressure: 31.38 PSI
Contact to Void Ratio: 48%



Inflation Pressure: 10 psi
Tested Load: 723lbs
Contact Area: 16.08 in²
Footprint Area: 47.82 in²
Ave Contact Pressure: 44.2 PSI
Contact to Void Ratio: 34%



Inflation Pressure: 10 psi
Tested Load: 723lbs
Contact Area: 18.54 in²
Footprint Area: 59.62 in²
Ave Contact Pressure: 37.89 PSI
Contact to Void Ratio: 31%



LS Tractor



Goodyear R14T

Footprint Comparison: R14T vs. Trac Loader



181 in²

15-19.5NHS
4080lbs @ 30psi



144 in²

Footprint Area